

Memory Card Choice of Professionals

SDXC[™]/microSDxc Dual-Slot USB 3.2, Gen. 1 Mobile Reader

USB 3.2, Gen. 1 Transfer Speed

Transfer your data files at speeds of up to 625MB/second using the ProGrade Digital SD/microSD Dual-Slot Mobile Reader. Indispensable for video and photography workflows especially when working in remote areas. For creators that are always on the go that are utilizing the SD/microSD Dual-Slot Mobile Reader, this is a great piece of equipment for your iOS iPad with a Type-C connector. When plugging it into your laptop, creators can take advantage of using both reader slots simultaneously.

The ProGrade Digital SD/microSD Dual-Slot Mobile Reader has comparable performance when transferring data like our full-size readers, but is more portable due to its small size. Portable and compact, the ProGrade Digital SD/microSD Dual-Slot Mobile Reader features an LED activity light that indicates when a transfer is complete. The LED light will also blink when the reader is in the process of transferring data.

The ProGrade Digital SD/microSD Dual-Slot mobile reader is backward compatible with USB 3.0 host devices and supports SD/microSD memory cards. For use with Mac OS X 10.6 or later and Windows 10+ operating systems with a Type C port.

ProGrade Digital SD/microSD Dual-Slot USB 3.2 Gen. 1 Reader Key Features:

- Dual-slot reader for SD and microSD card formats
- Data transfer speed of up to 625MB/second
- Supports simultaneous maximum speed transfer of data from cards in each slot
- USB 3.2, Gen. 1 interface
- LED indicator for data transfer activity
- Portable and compact
- Compatible with Mac OS X 10.6+ or later and Windows 10+
- Backwards compatible with USB Type C 3.0 devices
- Dimensions: 36.6 mm x 38.05 mm x 9.2 mm
- Storage Temperature -20°C to +85°C
- Operating Temperature 0°C to +60°C
- 2-year warranty
- Refresh Pro[™] enabled to quickly refresh card performance and monitor card health



www.progradedigital.com

1GB=1,000,000,000 bytes. Actual user storage is less. Speed is based on internal testing; user's performance may be lower depending on host device, interface, usage conditions and other factors. 1MB = 1,000,000 bytes. @2023 ProGrade Digital, Inc All rights reserved. Information, products, and/or specifications are subject to change without notice. ProGrade Digital, Inc is not responsible for omissions or errors in typography or photography. ProGrade and the ProGrade Logi are trademarks of ProGrade Digital is an authorized licensee of SDXC, microSDXC, CFast 20, CompactFlash, and CFexpress trademarks. ProGrade and www.progradedigital.com for additional information and limitations. ProGrade Digital memory cards and card readers are available for purchase online at ProGradeDigital.com, plus the company's Amazon and B&H Photo and Video websites. ProGradeDigital 1660 Hamilton Ave. Suite 101, San Jose, CA 95125, USA

in

4K